ERN REGION - R-1 [ = 10 - Flathead	*	DISTRICT	06 - H	lungry Horse	
on Date = April 1, 2014		DISTRICT	00 - 1	luligiy Horse	
	TIM	BER SALE A	ND		
	TRANS	ACTION EVID	ENCE		
	APP	RAISAL REPO	DRT		
	Fire	fighter Moun	tain		
Contract Type		SALE NAME)			
	,				
	TIM #	1460	2		
TYPE	6 - Cor	ntract Form 2	400-E	OM TO	N .
1112	0 - 001	itiact i Oilli 2	<del>-1</del> 00-0	OOM TO	
		_	<u></u>		
Prepared by (Signature)			(L	Date)	
Prepared by (Signature)		-	(E	Date)	
Approved by (Signature)		_	<u>/</u> [	Date)	
Approved by (Signature)			(L	Jale)	
		_			
Reviewed by (Signature)			(E	Date)	
All attached documents and speci with regulations at 36 CFR, Part 2 Handbook requirements and standocumentation and NEPA decisio circumstances relating to the envi correction, supplement, or revision (advertisement) should continue.	223, Subpa dards rela on have be fronmental	art B, and the a ted to timber s en reviewed; i impacts of th	applicable F sales. Furth no significan is proposed	Forest Service Manermore, the envent new information action exist that	anua ironn on or requ
Certification Reports for Gates 3 a	and 4 from	TIM are attac	ched to this	timber sale repo	rt.

# **TIMBER SALE INFORMATION**

TIM, Gate 3, Create Timber Sale (Prep101)

Sale Area Description:	
Primary County Name (FIPS Code):	029 - Flathead *
Sale Area Legal Description (short T & R):	T29N, R18W
Sale Area Legal Description (long):	
Portions of Sections 33,34,35,36 T30N, R18W; Sections 7,17,18,19,20 T29N, R17W	; Portions of Sections 1,2,3,4,11,12,13 T29N, R18W; Portions of
The format that the description is entered he Contract, Ad and prospectus at Gate 4.	ere and inputted to TIM is exactly the way it will print out in the
Compartment (s): 26	
Environmental Documentation:	
Project Association: List NEPA Project(s) that a	approved the timber sale.
NEPA Document Name	Percentage of Sale Volume (CCF)
Firefighter Project (August 2009)	100
• •	uded in the Prospectus, General Narrative, TIM Gate 4 - ng statement in the Prospectus: The environmental
Briefly describe additions or changes made to p	project design during timber sale preparation.

# **TSPIRS INFORMATION, SALE OBJECTIVES**

TIM, Gate 3, Create Timber Sale (Prep101)

Purpose (TIM -PREP101)	<u>Activity</u>	% of Sale	Volume - CCF (TIM - PREP101)
TC - Timber Commodity Purpose * * *	01 - Timber Purpose	* *	100
SALE	PURPOSE AND ACTIVITY CODING INSTRUCTIONS		
www.fs.fed.us/im/directives/fsh/2409	9.18/2409.18 20.doc		

Page 3

### **SALVAGE SALE FUND INFORMATION**

### TIM, Gate 4, Salvage Sale Fund Plan (ADVR112)

Reference to FSH 2409.19 - 71.12 - for assitance with SSF collections https://fs.usda.gov/FSI\_Directives/wo\_2409.19\_70.doc

### SSF Silviculture Treatment Type (Pick one)

Salvage Component with Sanitation, Stand Improvement, or Regeneration (Use for all other sales - stand(s) that include a salvage component)

SSF Volu	ime (CCF):	353	8	37%	% of tot	al volume	
		<u> </u>	UNDING S	SOURCE			
	Funding Source	(button on	tool bar) -	From STAT102	2		
Sale Prep	paration Funding S	SourceS	SSS <b>(Salv</b>	age Fund) %	0%		
(Contact SO for perd	_			orm. Funding S in the SSF Plai		entage must be e	qual to
			J		,		
		<u>C</u>	RUISE INI	<u>FORMATION</u>			
CRUISE:		#	1301	CHEC	K CRUISE:		
Date of C	ruise	6/17/2	010	Date o	of Check:		
Cruisers:	Paul Donnellon Jeff Hansen Jim Vander Sch	aff		Cruise	rs:	Darin Nichols Bryan Waters	
Method:	Plot			Result	s:	Pass	

Basis for Percent Defect:

N/A

SE%:

Method of determining ROW volume:

SEEN DEFECT PLUS ADDITIONAL CULL AND BREAKAGE

18.85

### TOTAL CF VOLUME BY UNIT --- NCS REPORT

Unit #	Acres	ľ	Sawtimber	CCF	ı	Non-Saw	CCF	1
		e entered la		001	L	Hon our	001	
2a	39		58679	587		39169	392	1
2b	12	ŀ	18055	181	<u> </u>	12052	121	
6	13	ŀ	18065	181	-	12447	124	
9b	23	ŀ	31961	320	-	22021	220	
11	22	ŀ	33101	331	-	22096	221	
13a	9	ŀ	12506	125	<b>-</b>	8617	86	
13b	31	ŀ	43078	431	-	29681	297	
14	21	ŀ	29182	292		20106	201	
		ŀ			<u> </u>			
16	3	•	4514	45	<u> </u>	3013	30	
16a	4	ŀ	6018	60	<u> </u>	4017	40	
18	9	ŀ	13541	135	<u> </u>	9039	90	
19	18	•	27083	271		18078	181	
21	21	ŀ	29182	292	-	20106	201	
23	7	ŀ	9727	97	<u> </u>	6702	67	<u>NET</u>
		ŀ			<u> </u>			MBF/CCF Ratio from
29	18	ŀ	25013	250	-	17234	172	NCS Report CS1
30	19	ŀ	26402	264	<b> </b>	18191	182	1100 Hopoit Ool
40	8	ŀ	12037	120	-	8035		Sawtimber (Product 01)
41	1	ŀ	1390	14	<u> </u>	957	10	0.4942
41a	9	ŀ	12506	125	<u> </u>	8617	86	
41b	2	ŀ	2779	28	<u> </u>	1915		Non-Saw (Product 08)
43	31	ŀ	43078	431	-	29681	297	0.5326
47	10	ŀ	13896	139	-	9574	96	0.0020
49	18	ŀ	27083	271	<u> </u>	18078	181	
50	22	ŀ	33101	331	<u> </u>	22096	221	
50a	4	ŀ	6018	60	-	4017	40	
56	10	ŀ	13896	139	-	9574	96	
56a	2	ŀ	2779	28	-	1915	19	
61	10	ŀ	13896	139	<u> </u>	9574	96	
<u> </u>	. •	L	568566	Sawtimber	L	386602	Non-Saw	•
TOTAL SA	LE UNIT V	OLUME (CC	_	5687	5687		3866	3866
			, I	(Sheet 1)	(Sheet 1&2)			(Sheet 1&2)
				(	,		(=======,	( <u>/</u>
TOTAL SA	ALE CF VO	LUME BY SE	PECIES N	CS REPORT	(R101)		NCS REPO	PRT (UC5)
Species	Saw	Rounded	%Defect	Av. DBH	Logs/Unit		Non-Saw	Rounded
AF	16886	169	8	10.6	15.5		11088	111
С	0	0	0	0	0		0	0
DF	27253	273	10	9	24.8		25183	252
GF	0	0	0	0	0		0	0
Н	0	0	0	0	0		0	0
L	150330	1503	9	9	26.3		125181	1252
LP	353725	3538	11	8.1	27		201473	2014
PP	0	0	0	0	0		0	0
S	20370	204	7	8.5	29.2		23680	237
WP	0	0	0	0	0		0	0
	568564					•	386605	

ROUNDED VOLUME IS THE DIFERENCE BETWEEN UNIT VOLUME AND SPECIES VOLUME (AFTER ROUNDING TO CCF) ADDED TO THE SPECIES WITH THE LARGEST VOLUME

TOTAL VOLUME

5687 CCF

3866 CCF

# CUTTING UNIT DESCRIPTION (TIM GATE 3 - PREP 104)

VOLUME - DIRECT ENTRY (TIM GATE 3 - PREP 103)

	(TIM GATE 3 - PREP 104)						Į.	(TIM GATE 3 - PREP 103)				
			<b>Appraisal</b>	ROW	Logging	Harvest	Land Suit			me CCF		mponent
Unit #	P.U.#		Unit Acres	Acres	Method	Method	Class	MA	Sawtimber	Non-Saw	CL	NL
<b>ROW</b> units	s need to b	e entered	last									
2a		39	39		420	131	0	15	587	392		
2b		12	12		420	131	0	15	181	121		
6		13	13		420	132	0	13	181	124		
9b		23	23		420	132	0	13	320	220		
11		22	22		420	132	0	13	331	221		
13a		9	9		420	132	0	13	125	86		
13b		31	31		420	132	0	13	431	297		
14		21	21		420	132	0	13	292	201		
16		3	3		420	132	0	15	45	30		
16a		4	4		420	132	0	15	60	40		
18		9	9		420	132	0	13	135	90		
19		18	18		420	131	0	13	271	181		
21		21	21		420	131	0	13	292	201		
23		7	7		420	132	0	13	97	67		
29		18	18		420	132	0	13	250	172		
30		19	19		420	132	0	13	264	182		
40		8	8		420	132	0	15	120	80		
41		1	1		420	131	0	15	14	10		
41a		9	9		420	131	0	15	125	86		
41b		2	2		420	131	0	15	28	19		
43		31	31		420	131	0	15	431	297		
47		10	10		420	132	0	15	139	96		
49		18	18		420	132	0	15	271	181		
50		22	22		420	132	0	15	331	221		
50a		4	4		420	132	0	15	60	40		
56		10	10		420	132	0	15	139	96		
56a		2	2		420	132	0	15	28	19		
61		10	10		420	132	0	13	139	96		
Totals She	et 1	396	396	0					5687	3866	0	0

Total Sale Area: Total Cutting Area: 8360 Sale Area Acres
396 Acres
(Sheet 1)

Total Sawtimber
Total Saw + Non-Saw

(Sheet 1) (Sheet 1)

5687 CCF 9553 CCF

LAND
CLASS
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0

_	ULATIO	NS
CL	NL	Ī
		,
		•
		•
	1	1

MA	CLASS		CL/NL
1	15	500	CL
	0	0	0
	0	0	0
	0	0	0
	0	0	0
	0	0	0
	0	0	0
	0	0	
	0	0	0
	0	0	
	0	0	0
	0	0	0
	0	0	0
	0	0	0
	0	0	0
	0	0	0
	0	0	0
	0	0	0
	0	0	0
	0	0	0
	0	0	0
	0	0	0
	0	0	0
	0	0	0
	0	0	0
	0	0	
	0	0	0
	0	0	0
	0	0	0
	0	0	0

### APPRAISAL CCF TO TON WORKSHEET

# **SAWTIMBER - CCF**

Species	Defect <u>%</u>	Net <u>Volume</u>	Total <u>Additional</u>	Total <u>Net</u>	Tons Per CCF	Total <u>Tons</u>			
AF	8	169	0	169	2.4735	418			
С	0	0	0	0	2.3540	0			
DF	10	273	0	273	3.0160	823			
GF	0	0	0	0	3.1275	0			
Н	0	0	0	0	3.2425	0		Net MBF/CCF R	atio For
L	9	1503	0	1503	3.1935	4800		Sawtimber From	n NCS
LP	11	3538	0	3538	3.0210	10688		Report CS1	0.4942
PP	0	0	0	0	3.2230	0			
S	7	204	0	204	2.7040	552		TIM	Prep 105
WP	0	0	0	0	3.2230	0		Conversion	Factors
		_						MBF	<u>CCF</u>
TOTAL =	10	5687	0	5687		17281	=	0.1626	0.3291

Ν	<u> 10</u>	<u>I-SA</u>	WI	'IMB	<u>ER -</u>	CCF

<u>Species</u>		Net <u>Volume</u>	Additional <u>Non-Saw</u>	Total <u>Net</u>	Tons Per CCF	Total <u>Tons</u>			
AF		111		111	2.3340	259			
С		0		0	2.1400	0			
DF		252		252	2.7885	703			
GF		0		0	2.9470	0			
Н		0		0	3.0590	0		Net MBF/CCF R	Ratio For
L		1252		1252	3.0785	3854		Non-Sawtimber	r From NCS
LP	%Dead	2014		2014	3.0200	6082		Report CS1	0.5326
PP		0		0	3.1510	0			
S		237		237	2.6330	624			
WP		0		0	3.1500	0		TIM	Prep 10
								Conversion	Factors
								MBF	CCF
	TOTAL =	3866	0	3866		11522	=	0.1787	0.3355

	<u>Gross</u>	<u>Net</u>	<u>Tons</u>
TOTALS =	0	9553	28803

# APPRAISAL SUMMARY

CONTRACT VOLUME (CCF)	9553	
APPRAISAL VOLUME (CCF)	5687	
CONTRACT VOLUME (TONS)	28803	Note: Total Tons to be used for Rd. Maintenance Appr.)
WTD TONS/CCF	3.02	

ASSI	GN CONTRACT	SPECIES		UTILIZATION STANDARDS							
TIM G	Sate 3 - Prep 10	5			TIM Gate 4 - Contract Prep Information ADVR114						
	-					Fill out Minimum Specifications below to reflect how sawtimber & non-sawtimber were cruised.					
Contract species shall be grouped to reflect differences in utilization and/or how species shall be grouped in A(T) 2 of the Timber Sale Contract.						a non oaw		oraloca.			
	on-sawtimber shounder Contract S										
Conti	Contract Species  Full Name for (only applicable to weight scale sales)  (Enter from Species					Minimum Specifications					
	(Major Species			Summary)		Number			Merch.		
	Group)		MBF	CCF	DBH	of Pieces	Length	DIB	Factor		
LP											
	Live and Dead	Lodgenole Pine	0.1626	0.3291							
WL&C	Live and Dead W	Lodgepole Pine //estern Larch & Oth	0.1626 er	0.3291	7	1	8.0	5.6	10.67		
				0.3291	7	1	8.0	5.6	10.67		
WL&C	) W	estern Larch & Oth	er		7	1	8.0	5.6	10.67		
				0.3291	7	1	8.0	5.6	10.67		
WL&C	CS	Live and Dead	er		7	1	8.0	5.6	10.67		
WL&C	) W	estern Larch & Oth	er		7	1	8.0	5.6	10.67		
WL&C	CS	Live and Dead  Cedar Products - Net	er		7	1	8.0	5.6	10.67		

# AVERAGE EXTERNAL YARDING DISTANCE

# **AVERAGE EXTERNAL YARDING DISTANCE**

	Volume	AEYD	]		<u></u>	Volume	AEYD		
Unit #	CCF	Feet		% Slope	Unit #	CCF	Feet		% Slope
			•					•	
2a	587	1078	To Calculate % Slope	22%				To Calculate % Slope	
2b	181	1518		26%					
6	181	780	Top Elevation	19%				Top Elevation	
9b	320	2270	0	16%					
11	331	924		20%					
13a	125	758	Bottom Elevation	12%				Bottom Elevation	
13b	431	895	0	12%					
14	292	638	E) (D. D	23%				E) (D. D) (1)	
10	4-	778	EYD Distance (ft)	28%				EYD Distance (ft)	
16	45	175	0	17%					
16a	60	340 605	0/ Clana	16% 18%				0/ Clana	
18	135	1023	% Slope = #DIV/0!	15%				% Slope = #DIV/0!	
19	271	562	#טוע/ט!	16%				#DIV/0!	
21 23	292 97	375		12%					
23	97	478		17%					
29	250	528	•	18%					
30	264	1117		14%					
40	120	437		34%					
41	14	215		18%					
41a	125	558		26%					
41b	28	230		17%					
43	431	786		22%					
47	139	926		25%					
49	271	964	1	25%					
50	331	975		23%					
50a	60	560		29%					
56	139	318		11%					
56a	28	311		11%					
61	139	814		28%					
<u>Tractor</u>			<u>Forwarder</u>		<u>Helicopter</u>		<b>Ground Lea</b>		
420	5687			VOL		VOL	450	<b>0</b> VOL	
	922	AVE EYD	0	AVE EYD	0	AVE EYD		0 AVE EYD	
<u>Skyline</u>		•		-		<u> </u>			
430		VOL							
	0	AVE EYD							Page 10
	· ·								

### **HAUL**

Appraisal Point:	Col Falls	State	Montana
Total Sawtimber Tributary Volume:	5,687	_	

(The appraisal point is most advantageous when total transportation cost, including road work, are less than other appraisal points. Appraise to a mill where timber product can be processed. SBA Set Aside Sales are appraised the same way; not to the nearest SBA mill)

(Haul Appraisal for Sawtimber only. Non-Sawtimber included in Non-Sawtimber Adjustments)

### WTD HAUL MILES

					_										Segme	ent Miles	Sawtimber	WTD
Segment	Units											Paved	Unpaved	Trib Vol	MILES			
,	ALL														8		5687	8.0
	ALL														1.6		5687	1.6
	ALL															13.5	5687	13.5
	43															1.4	431	0.1
	43															0.5	431	0.0
1021	7	16	16A													1.6	105	0.0
	14	15														3.4	292	0.18
	29	40	41	41A	41B	49	50	50A								2.6	1199	0.5
	19	21	23													5.8	660	0.6
	9B	11	18	61												7.9	925	1.29
	29															0.4	250	0.0
	6															1.9	181	0.0
	30															0.9	264	0.0
	2A	2B	13A	13B	26	56	56A									3.9	1491	1.0
	2A	2B	56	56A												1.8	935	0.3
	26															4.2	0	0.0
	13A	13B														1.7	556	0.1
	13B															0.6	431	0.0
13A Temp	13A															0.5	125	0.0
	WTD	Total F	Paved	Miles							 WT	D Tota	al Unpa	ved M	iles	W	DT Total Mile	es

Page 11a

### **NON-SAWTIMBER ADJUSTMENTS**

### **DATA INPUT**

Delivered Log Price (\$/Ton, Nonsawtimber material) Total Nonsawtimber Volume (CCF) (Primary + Secondary) Total Nonsawtimber Volume (Tons) (Primary + Secondary) Tons / CCF for nonsawtimber material Total Appraised Sawlog Volume (CCF) Total One Way Weighted Haul Miles

	All Ground		
Logging System	Based	All Cable	Forwarder
Nonsawtimber Primary Product (CCF)	1,916		
Net MBF / Acre Harvested for			
nonsawtimber primary product	2.6	0.0	0
Average DBH Harvested for			
nonsawtimber primary product	4.9		
Average Yarding Distance (Feet)	922	0	0
Nonsawtimber Primary Product			
(Tons)	5,711	0	0
Net Tons / Acre Harvested for			
nonsawtimber primary product	7.7	0.0	0.0

Nonsawtimber Adjustment	
Final Nonsawtimber Value (\$/CCF)	
A positive number is a negative	
value.	\$0.00
Final Nonsawtimber Adjustment to	
enter into TE appraisal program	
(\$/CCF)	\$0.00

### RIGHTS - OF - WAY

(Include Cost share Agreements)

Road Name	Road #	Length	Type of Agreeme	nt Agreement with (Names)
(55	_		NTENANCE	
(From Ro	oad Maintena	ance Apprais	sal Summary, sheets a	are attached)
Check Box to use Small Sale RM	1 Rates.	☐ Check B	Box to use Small Sale RM	Rates plus Koocanusa Bridge
		Contra	ct Rates	<u> </u>
Total Performance	Recurrent I	Maintenan	ce (Part A)	\$/CCF   \$/TON
C(	T)5.31 - Re	current Ma	aintenance	\$6.58 \$2.18
	C(T)5.	312 - Reco	onditioning	\$0.00 \$0.00
	Total I	Performan	ce (Part A)	\$6.58 \$2.18 ( A )
Total Required Deposits (R	ecurrent a	nd Deferre	ed) (Part B)	
(Enter appropriate rate in TIM - Ga				04.04
C(T)5.32# - T	otai Requii	rea Deposi	its (Part B)	\$4.64 \$1.54 (B)
C(T)5.314	- Total Dus	t Abateme	ent (Part C)	\$0.00 \$0.00 (C)
TOTAL MAIN	NTENANCE	COST (Pa	arts A-B-C)	\$11.22 \$3.72
			sal Rates or 2400 - 17)	
		`	,	
	Tota	al Require	d Deposits	\$ \$6.58 CCF
Total Road Maintenance C	Costs (Perf	ormance +	Deposits)	\$ \$11.22 CCF

Refer to Road Maintenance Appraisal for Road Reconditioning cost per road segment. (Attach worksheets with road costs)

### **LOGGING METHOD SUMMARY**

ļ	Tractor	Ground Lead	Skyline	Aerial Heli	Forwarder
Acres	396	0	0	0	0
Volume	5687	0	0	0	0
EYD	922	0	0	0	0

### **IDENTIFY FACILITIES (ADVR102)**

Attach completed "IDENTIFY FACILITIES FORM"

J:\fsfiles\office\resources\Timber\Appraisal\_Contract\Appraisal

Check Box if accomplishing road construction or re-construction work under timber sale.
---

Appraisal information required for the 2400-17 report is to be summarized from the Identify Facilities

# SPECIFIED ROAD COST Miles Total Cost Construction \$211,297 Total Cost \$211,297 Total Cost \$211,297

### BASE RATE ADJUSTMENT FOR REGENERATION COST

Total Required R	Regeneration	Costs - F	FACTS	Line 21	Remarks
------------------	--------------	-----------	-------	---------	---------

\$243,516.00

(Subtotal for Required Reforestation with National Program Support Cost Included)

**Note:** Base Rates may be raised for regeneration on only the Sawtimber component for green sales or % of Live Sawtimber on Salvage sales. In previously partial cut stands that are to be regenerated, protected regeneration cost shall be proportionate to remaining volume in the sale.

9.553 Sale Volume ( ALL Vol./Products) CCF X \$0.25 (NFF) \$0.25 \$2,388.25 Select Either (a) or (b) % Sawtimber (A) Green Sale - Required Regen Cost \$ 100% Sawtimber Vol. = 100% \$243,516.00 \$243,516.00 (d) 60% (B) Salvage Sales enter % Live Sawtimber Volume; Partial Cut \$245,904.25 (a) Stands enter % Volume remaining. Total: Minimum Rates 1/ Base Rates 2/ **Species Groups** Volume (CCF) Per CCF Total Per CCF Total WP, PP, C 0 \$5.00 \$0.00 0 \$0.00 All other species (list) 5687 \$3.00 \$17,061.00 \$42.56 \$242,038.25 Nonsawtimber (all species) 3866 \$1.00 \$3,866.00 \$1.00 \$3,866.00 **TOTALS** 9553 XXXXX \$20,927.00 XXXXX \$245,904.25 (b) Sawtimber (Appraisal) Volume 5687 **Weighted Average Minimum Rate** \$3.00 \$224,977.25 (c) (a) - (b) = (c) amount need in addition to base rates (plus \$.25/CCF) Adjust Base Rate Note: If minimum rate total (b) => (a) no adjustment needed **Adjustment To Minimum Rate:** (c) / (Total Sawtimber Volume) CCF = \$ /CCF \$224.977.25 5.687 \$39.56 1/ Minimum rates: FSH 2409.22, Chp 80, Sect. 81 (Base rates for Sawtimber can be weighted if appraising and advertising as a single species group (DF,O)) 2/ Minimum rate + adjustment = Base Rate **FACTS INFORMATION** (Enter Sale Information - SAIP100) Amount of Stumpage Availiable for Protected KV at Base Rates = \$243,516.00 (The only stumpage available for KV at advertised rates is when KV is protected by base rates)

### **BRUSH DISPOSAL**

### From FACTS - Detailed Listing of BD and Purchaser Slash Treatment Activities

### Appraisal Rates for 2400-17 (Applied to Sawtimber only)

Forest Service Rate (Fund Code BDBD) \$30,334.00 Total \$ (a) \$5.33 CCF

Purchaser Rate (Fund Code PPPP) \$59,375.36 Total \$ (b) \$10.44 CCF

TOTAL: (a) + (b) = \$15.77 CCF

Contract Rates (Applied to All Products)

Forest Service Rate Per CCF (Fund Code BDBD) \$3.18 CCF

**\$1.76** TON

\_\_\_\_\_

(Rate Per CCF Converted to Tons for Weight Scale Contracts)

### **Lump Sum BD Deposits for Weight Scaled Sales**

<b>Cutting Unit Number</b>	Required Deposits
<b>2</b> a	\$3,108.66
2b	\$958.95
6	\$968.48
9b	\$1,714.68
11	\$1,752.79
13a	\$670.00
13b	\$2,311.65
14	\$1,565.44
16	\$238.15
16a	\$317.53
18	\$714.45
19	\$1,435.25
21	\$1,565.44
23	\$520.76
29	\$1,339.99
30	\$1,416.20
40	\$635.07
41	\$76.21
41a	\$670.00
41b	\$149.24
43	\$2,311.65
47	\$746.20
49	\$1,435.25
50	\$1,752.79
50a	\$317.53
56	\$746.20
56a	\$149.24
61	\$746.20

**Total Cost** \$30,334.00 (Sheet 1)

# **EROSION CONTROL**

Seed mix is to be included in C(T)6.601# - Erosion Control Seeding and Special Project Specifications (SPS) 625.05 in Road Package.

Make sure that the seed mix and fertilizer are the same in both Contract and Road Package.

Site specific areas, such as gravel pits and very dry sites may call for more and/or different species in the mix. Document below the rational for deviation from the standard seed mix.

Species of Seed	Pounds per Acre	Type of Fertilizer	Pounds per Acre
Slender Wheatgrass	24		
TOTAL	. 24	TOTAL	0

### **Crossdrains**

Installation of crossdrains on temporary roads, skid trails and firelines are included in their respective cost allowance.

### **Scarification**

10 acres @	10 acres @	\$45.00 per acre =	\$450.00
------------	------------	--------------------	----------

### **Seed and Fertilizer**

If Temp Road seeding is not included in Temp Road worksheet then enter here

Temporary Roads	feet	=	0.0	acres
Firelines	feet	=	0.0	acres

### **Skid Trails**

Number of acres to be skidded using ground based systems times the percentage of area requiring seed and fertilizer. 396 acres X acres

Number of acres to be yarded using cable systems times the percentage of area

requiring seed and fertilizer. acres X acres

Landings

Number of landings Χ 0.5 acres per landing 19.5 39 acres

> 27.4 **TOTAL** acres

		Ground		Aerial	
	Tractor	Lead	Skyline	Heli	<b>Forwarde</b>
Acres	396	0	0	0	0

0 0 0 Slender Wheatgrass 0 Fertilizer	0 0 0 24 0	X X X X X	\$/Lb \$12.00 \$12.00 \$12.00 \$12.00	\$ per Acre = \$0.00 = \$0.00 = \$0.00 = \$288.00 = \$0.00 = \$0.00
*Labor per Acre				= \$80.00
Total cost for				\$ per acre <b>\$368.00</b>
SEEDING 27.4 FERTILIZER 27.4 LABOR 27.4 SCARIFICATION	acres X acres X acres X	\$288.00 \$0.00 \$80.00	\$/acre = \$/acre = \$/acre =	\$7,891.20 \$0.00 \$2,192.00 \$450.00
			TOTAL	\$10,533.20
\$10,533.20 COST	5687 C	CF =	\$1.85	PER CCF

**Document Rational for Changes to Standard Seed Mix.** 

<sup>\*</sup> Engineers estimate Page 114 of the Cost Guide Item Labor Rates.

<u>Other</u> - Include Contractual Obligations Requiring Performance Bond Coverage (Road closure, Barriers, Trail Restoration, etc.)

ITEM	#	х	COST	=	TOT COST
Road Stabilization Road 1621	1	Х	\$500.00 per 1	=	\$500.00
Install berm on 11042	1	Х	\$200.00 per berm	=	\$200.00
Install berm on 1623	1	Х	\$170.00 per berm	=	\$170.00
Install berms on temporary roads	2	Х	\$170.00 per berm	=	\$340.00
Install temporary gate on 1623	1	Х	\$1,000.00 per gate	=	\$1,000.00
Scarification units 2A, 2B, 16, 21	75	Х	\$85.00 per acre	=	\$6,375.00
Units that require scarification but no n	nachine pilir	ng X	\$0.00 per XXX	=	\$0.00
XXX		Х	\$0.00 per XXX	_	\$0.00
XXX		Х	\$0.00 per XXX	_	\$0.00
XXX		X	\$0.00 per XXX	_	\$0.00
			<u> </u>		
XXX		Х	\$0.00 per XXX	=	\$0.00
XXX		Х	\$0.00 per XXX	=	\$0.00
XXX		Х	\$0.00 per XXX	=	\$0.00
XXX		Х	\$0.00 per XXX	=	\$0.00
\$8,585.00	Cost /	5687	CCF = \$1.51	CCF	
Subtotal Other Contractual Require	ments ( A )		= \$1.51	CCF	

Page 19

# OTHER CONTRACTUAL REQUIREMENTS (B)

The cost allowance for herbicide application has been based on estimates provided by Tris Hoffman, FNF noxious weed coordinator. One mile of road with an average ROW of 30 feet is equal to 3.6 acres. Herbicides approved for use are listed in C(T)6.27# under Technical Spraying Specifications.

<u>Herbicide</u> (Common name)	Application Rate oz per acre	<u>Cost</u> Per oz	Cost per UOM
Tordon (example)	22	\$2.50 \$0.00 \$0.00 \$0.00	\$198.00 mile \$0.00 mile \$0.00 mile \$0.00 mile
Price qoute for herbic	ide obtained from:	Tris Hoffman FNF noxious	weed coordinator
Sufactant .32 oz/gal Labor Rat	H2O :	\$0.68/acre = \$2.45/ mile \$40/ hour (2 Miles per hou	ur)
Miles of ro  Herbicide to be appl	ad to be sprayed: lied: <u>Miles</u>	<b>44.68</b> miles <b>\$ UOM</b>	Tot Cost
Tordon (example)	44.68	\$198.00 \$0.00 \$0.00 \$0.00	\$8,846.64 \$0.00 \$0.00 \$0.00
Sufactant & dye: Application Cost (Lab Misc. Expensense:	or): 44.68 44.68	\$35.00	\$0.00 \$1,563.80 \$0.00
TOTAL WEED TREA	TMENT: \$10,410.44	cost / <u>5687</u> CCF	= \$1.83 CCF
	ON-SITE EQUIPMENT	WASHING C(T)6.351#	
Cost allowance for a Number (pieces of eq Cleaning costs per pie	juipment)	oment <u>Prior To Leaving</u> Io Number of seas CCF	cons dentified in EIS/EA
	ng equipment per CCF		
Subtotal (	Other Contractual Requ	uirements (B)	\$1.83 CCF

### MISCELLANEOUS CONTRACTUAL REQUIREMENTS (Contractual Obligations That Would Not Require Coverage Under The Performance Bond) Stump Shoveling (Not required under normal operating/winter conditions. Include if clippers not allowed) \$0.00 # stumps Χ \$0.00 per stump \$0.00 Cost / 5687 \$0.00 CCF CCF **Snow Plowing** \$0.00 # miles X per mile X # plowings \$0.00 Cost / 5687 CCF \$0.00 CCF Miscellaneous: (Helicopter Landing Construction, Traffic Control etc...) ITEM COST TOT COST # Χ XXX X \$0.00 per XXX \$0.00 XXX Χ \$0.00 per XXX \$0.00 XXX \$0.00 per XXX \$0.00 Χ \$0.00 XXX X \$0.00 per XXX \$0.00 per XXX \$0.00 XXX X XXX X \$0.00 per XXX \$0.00 XXX Χ \$0.00 per XXX \$0.00 XXX Χ \$0.00 per XXX \$0.00 X \$0.00 XXX \$0.00 per XXX \$0.00 Cost / 5687 \$0.00 CCF CCF Subtotal Miscellaneous Contractual Requirements (C) \$0.00 CCF

Total Other Contractual Requirements (A+B+C) Brush Disposal (Purchaser and FS)	\$3.34 CCF \$15.77 CCF
Total Environmental Protection Cost	\$19.11 CCF

# TEMPORARY ROADS

1.55 Miles

Temporary Road #1	Cost \$
Existing: Units 13A,41A	\$6,058.00
Temporary Road #2	Cost \$
New: Unit 43	\$2,406.00
Temporary Road #3 New: Unit 40	Cost \$ \$1,777.00
New. Offit 40	\$1,777.00
Tanana Bar I WA	O (f)
Temporary Road #4  New: Unit 61	Cost \$ \$4,282.00
Now. Office of	ψ 1,202.00
Temporary Road #5	Cost \$
Temporary Road #5	\$0.00
TOTAL TEMPORARY ROAD COST =	\$14,523.00
(Total Temporary Development Costs) \$14,523.00 COST / 5687 CCF =	\$2.55 CCF
ψ14,020100	<del>42.00</del>
Cost Guide for Temporary Roads	
http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/ste	<u>lprdb5279261.pdf</u>
Temporary Road Seeding, Fertilizing and Obliteration Costs pe	er CCF \$0.84
romporary reduce occurring, rommining and oblitoration coole po	ψοιο τ
UNUSUAL CONDITION ADJUSTMENTS	
\$0.00 Cost \$ / 5687 CCF	= \$0.00 CCF

### **TEMPORARY ROAD COSTS #1**

Unit or Road Number: Existing: Units 13A,41A

### Reference to Cost estimating procedures for temporary roads from Cost Guide pages 100-104

Average Side Slope 0 % Feet 0.88 Length 4620 Miles Volume per Acre (Note: Do not adjust project costs for inflation or deflation) Costs Prer Mile Clearing and Grubbing (Table T-1) \$3,900.00 Mile = Excavation (Table T-1) \$1,410.00 Mile Seeding (Table T-1) \$510.00 Mile = \$1,000.00 Mile Obliteration (Table T-1) Scarify, Waterbar, Reveg **Total Unit Cost Per Mile** \$6,820.00 \$6,002.00 **Baisc Cost Total X Length Drainage Structures** Dips Χ \$0.00 18" CMP X \$0.00 other CMP X \$0.00 **Drainage Cost Total** \$0.00 Other Requirements ### ### Χ \$0.00 \$0.00 ### ### X \$0.00 \$0.00 = ### Χ \$0.00 ### \$0.00 = ### ### X \$0.00 \$0.00 **Other Cost Total** \$0.00 Subtotal (Basic + Drainage + Other) \$6,002.00 Mobilization (Table T-4) 7% \$420.00 Subtotal \$6,422.00 **TOTAL COST** \$6,422.00 1.06 Profit \$6,058.00

### **TEMPORARY ROAD COSTS #2**

Unit or Road Number New: Unit 43

# Reference to Cost estimating procedures for temporary roads from Cost Guide pages 100-104

0,	•	•	•	•
Average Side Slope Length Volume per Acre	20 % 1320 Feet 0	<b>0.25</b> Miles		
(Note: Do not adjust	t project costs for infl	ation or deflation)		
		,		Costs Prer Mile
Clearing and Grubbin	g (Table T-1)		=	\$3,720.00 Mile
Excavation (Table T-1	1)		=	\$1,730.00 Mile
Ì	,			
Seeding (Table T-1)			=	\$580.00 Mile
Obliteration (Table T-	1)		=	\$3,500.00 Mile
Full Recontour, Place	Slash, Erosion Contro	l Seed		
	Total Unit	Cost Per Mile	=	\$9,530.00
	Total Offic	OOST 1 CT MINE	_	ψ3,000.00
	Baisc Cos	t Total X Length	=	\$2,383.00
Drainage Structures				
Dramage Graciales	Dips	X \$0.00	=	\$0.00
	18" CMP	X \$0.00	=	\$0.00
	other CMP	<b>X</b> \$0.00	=	\$0.00
	Drair	nage Cost Total	=	\$0.00
Other Requirements		v		40.00
	###	X \$0.00 X \$0.00	=	\$0.00 \$0.00
	###	X \$0.00	=	\$0.00
	###	X \$0.00	=	\$0.00
	Oth	ner Cost Total	=	\$0.00
Subtotal (Basic + Dra	inage + Other)	= \$2,38	3.00	
Mobilization (Table T-	<b>7%</b>	= \$167	.00	
	Subtotal	= \$2,55	0.00	

1.06

Profit

###

**TOTAL COST** 

\$2,550.00

\$2,406.00

**TEMPORARY ROAD COSTS #3** Unit or Road Number: New: Unit 40 Reference to Cost estimating procedures for temporary roads from Cost Guide pages 100-104 Average Side Slope **30** % 780 Feet Length 0.15 Miles Volume per Acre (Note: Do not adjust project costs for inflation or deflation) Costs Prer Mile Clearing and Grubbing (Table T-1) \$4,240.00 Mile = Excavation (Table T-1) \$2,390.00 Mile Seeding (Table T-1) \$610.00 Mile = Obliteration (Table T-1) \$4,500.00 Mile Recontour, Place Slash, Erosion Control Seed **Total Unit Cost Per Mile** \$11,740.00 \$1,761.00 **Baisc Cost Total X Length Drainage Structures** Dips X \$0.00 \$0.00 18" CMP X \$0.00 \$0.00 other CMP Χ \$0.00 \$0.00 **Drainage Cost Total** \$0.00 Other Requirements ### ### Χ \$0.00 \$0.00 ### ### X \$0.00 \$0.00 = ### Χ \$0.00 ### \$0.00 = ### ### X \$0.00 \$0.00 **Other Cost Total** \$0.00

 Subtotal (Basic + Drainage + Other)
 =
 \$1,761.00

 Mobilization (Table T-4)
 7%
 =
 \$123.00

 Subtotal
 =
 \$1,884.00

TOTAL COST | \$1,884.00 / 1.06 | Profit = \$1,777.00

### **TEMPORARY ROAD COSTS #4**

Unit or Road Number: New: Unit 61 Reference to Cost estimating procedures for temporary roads from Cost Guide pages 100-104 Average Side Slope 40 % 1400 Feet Length 0.27 Miles Volume per Acre 10 (Note: Do not adjust project costs for inflation or deflation) Costs Prer Mile Clearing and Grubbing (Table T-1) \$5,750.00 Mile = Excavation (Table T-1) \$3,720.00 Mile Seeding (Table T-1) \$740.00 Mile = Obliteration (Table T-1) \$5,500.00 Mile = Recontour, Place Slash, Erosion Control Seed **Total Unit Cost Per Mile** \$15,710.00 \$4,242.00 **Baisc Cost Total X Length Drainage Structures** Dips X \$0.00 \$0.00

18" CMP X \$0.00 \$0.00 other CMP Χ \$0.00 \$0.00 **Drainage Cost Total** \$0.00 Other Requirements ### ### Χ \$0.00 \$0.00 ### ### X \$0.00 \$0.00 = ### Χ \$0.00 ### \$0.00 = ### ### X \$0.00 \$0.00

Other Cost Total = \$0.00

Subtotal (Basic + Drainage + Other) = \$4,242.00

Mobilization (Table T-4) = **\$297.00** 

Subtotal = **\$4,539.00** 

### TIMBER SALE CONTRACT INFORMATION

### Tim Gate 4 - Contract Preparation information (ADVR114)

# **Normal Operating Season**

First Period:

1-Jul

to

30-Sep

All

Second Period:

(Note: If sale has more than one NOS - List dates and units for each NOS in A16 or AT13 of Timber Sale Contract)

### **Periodic Payment Schedule**

Approximate Award Date: 07/01/14 mm/dd/yy

(And Road Completion Date if roads are included.)

Road Completion Date: 09/30/14 mm/dd/yy

(ENTER N/A if no roads)

Contract Termination Date: 09/30/16 mm/dd/yy

TIM - Input at Gate 4 - Prospectus, Bid and Misc. Information - Page 1 (ADVR115)

Approximate Payment Date: 11/15/15

### Include the following statement in the Prospectus for sales without a road completion date.

As per B(T) 4.213, Periodic Payment Schedule, a periodic payment will be required. The approximate periodic payment date is XXXX. The final date will be based on the award date of this timber sale contract.


### FIRE LIABILITY CALCULATION (ADVR114, Page 4)

5 CCF / man day --- 120 operating days / year --- 600 CCF / man year --- 12 hrs / shift --- 5 shifts / week. AD-C Firefighter wage is updated yearly, ~March (FSH 5109.34 Chp 10). Link below to directive.

(A)	Total Volume =	9553	CCF	
(B)	Sale Duration =	2.3	YEARS (Calcu	ulated from Award Date to Termination Date)
(C)	Operating Days in Sale	e =	276	(Sale Duration X 120 days.)
(D)	CCF Per Day =		34.6	(Total Volume / Operating Days in Sale)
(E)	Men Needed to Log Sa	ale =	6.9	(CCF Per Day / 5 CCF)
(F)	Liability = \$17.40	(Wage Rat	e AD-C) X	12 (hrs/shift) X 5 (# shifts) X
http://wv	vw.fs.fed.us/r1/fire/n	rcg/Comr	nittees/busin	ness_committee.htn
	6.9	(# men) =		TOTAL LIABILITY = \$7,204

Round up to nearest \$50.00 up to \$200.00, then round up to nearest \$100.00

ROUNDED TOTAL = \$7,300



When sale is entered through TIM, Bid Guarantee is calculated and auto-filled during completion of Gate 4 – Prospectus, Bid and Misc. Information – Page 1- (ADVR115)

### **MINIMUM PERFORMANCE BOND:**

### TIM Gate 4 - Prospectus, Bid and Misc. Information - Page 3 - (ADVR115)

The greater of (A) or (B) rounded **UP** to nearest \$100.00 if sale is under \$10,000.00 stumpage value and up to nearest \$1,000.00 if sale is over \$10,000 stumpage value.

(A)	Advertised Value	\$245,905	X 10% =	\$24,590	J		
		Rounded 10%	Advertised Va	alue =	\$25,000	(A)	
(B)	Purchaser requireme	ents (Performand	ce) - Based on	number of s	easons.		
	Road Mai Erosion = Brush Dis Other =		\$6.58 ( \$1.85 ( \$10.44 ( \$4.18 ( Total =	CCF CCF	]ccf		
Total Pur	chaser Requirements =	\$23.05	X Tot Vol	5687	CCF =	\$131,108 Tot	Value
	divided by 3	# Seasons =	\$43,703 F	Performance	Bond Value		
		Rounded Perfo	ormance Bond	l Value =	\$44,000	(B)	

MINIMUM PERFORMANCE BOND \$44,000

### Create New Sales Forest No 10 - Flathead District No 06 - Hungry Horse Sale No 14602 Sale Name Firefighter Mountain **Basic Information** Advertised Sale Number 06-14602 Size Class 7 - \$1,000,000.01 thru \$5,000,000 Sale Status 7020 - Bidder responsibility MT - Montana State County Code 029 - Flathead SBA Code N - No Compartment No TE - Transaction Evidence 26 Appraisal Type Legal Description T29N, R18W Salvage Code 2 - Salv Sale or Salv Component in Regular Program Pricing Method FLAT - Flat Rate Appraisal Date SAI Collection \$243,516.00 Contract Date Contract No 06-14602 9/30/2016 6 - Contract Form 2400-6 Term Date Contract Form Bid Date **CO** Authority R - Regional Forester Sale Method S - Sealed Bids 12 - 36 CFR 223.86 Modified By Regulation Code **Modified Date** Area & Volume Sale Acres 8360 Cut Acres 396 **Clearcut Acres** Clearcut Volume Seed Tree Acres Seed Tree Volume 263 3758 Right Of Way Acres Right Of Way Volume Final Seed Tree Acres Final Seed Tree Volume Shelter Wood Volume Shelter Wood Acres Cedar Poles: Volume Count

Length

37%

Percent Salvage

### Costs / CCF

 Slash FS
 \$5.33

 Slash Total
 \$15.77

 Erosion
 \$1.85

 Snag
 \$3.34

 Temp Roads
 \$2.55

 Other Temp Dev
 Unusual Cond Adj

 Road Maint Dep
 \$6.58

### Comments

Confinence
Blank
Includes other (A), weeds (B), Misc ©
Blank
Includes Tons/CCF Adjustment

### Roads

Road Maint Total Small Product Adj

Construction Miles
Reconstruction Miles
Appraisal Point
Total Haul Miles
Temp Road Const Miles
Contributed Funds
Timber Property Value

21.5	
Col Falls	
28	
	1.6

\$11.22

\$0.00

Costs
Costs
State
Paved Miles
Costs

	\$211,297
Montana	
9.6	
	\$14,523

# **Logging Systems**

<u>Tractor</u>
<u>Horse</u>
<b>Ground Lead</b>
<u>Skyline</u>
<u>Heli</u>
Swing
Forwarder

Acres	CCF	Distance(ft
396	5687	922

U of M	Species	Product	TIM Species	Volume CCF	Volume MBF	% Defect	Base Rate	Base Index	Avg DBH	I Logs/Unit
3 - CCF	019 - Subalpine Fir	1 - Sawtimber	AF	169	84	8	\$42.56		10.6	15.5
3 - CCF	204 - Douglas Fir	1 - Sawtimber	DF	273	135	10	\$42.56		9.0	24.8
3 - CCF 3 - CCF	073 - Western Larch 108 - Lodgepole Pine	1 - Sawtimber 1 - Sawtimber	L LP	1503 3538	743 1748	9	\$42.56 \$42.56		9.0 8.1	26.3 27.0
3 - CCF	093 - Englemann Spruce	1 - Sawtimber	S	204	101	7	\$42.56		8.5	29.2
3 - CCF	007 - NONSAW	8 - Non-Sawlog	CS	3866	2059	0	\$1.00		0	0

Use this sheet to calculate advertised value and to convert \$/CCF to \$/Tons.

Attach this sheet to the 2400-17 for Documentation.

Sawtimber Rate from the 2400-17

\$42.56

### **Conversion to Tons**

	Adv. Rate	CCF Vol	<u>Tons</u>	Advertised Rate per Ton
Sawtimber	\$42.56	5687	17281	\$14.01
Non_Saw	\$1.00	3866	11522	\$0.34
Base Rate	\$42.56	5687	17281	\$14.01
(Sawtimber)				

Total Advertsed Value \$245,904.72